


EasyStand^{li} Bantam – Perfect Fit Guide

Step One - Foot Plates

Before the child is in the stander, loosen the clamps (do not remove) on the foot plates to adjust height (A). The knees should be slightly lower than the hips (B). Tighten clamps securely.



Step Two - Seat Depth/Back Angle


Make adjustments before the child is in the stander. For easier adjustment, remove the Shadow Tray and raise seat to a slight angle. If you have the Supine Option, make sure the red supine locking handles are loose.

Loosen the knobs on the seat tube and the following arm (but do not unscrew completely).

Adjust to a shorter seat depth setting, first, adjust the following arm (back angle) by depressing the spring button and moving no more than two holes at a time. Then adjust the seat tube (seat depth) one hole at a time. Continue this sequence until you achieve the desired setting, and the colors on the seat tube and following arm match (C).

Tip:

- Position foot plate height so the femur is resting on the seat.



Adjust to a longer seat depth setting, first, adjust the seat tube (seat depth) by depressing the spring button and moving only one hole at a time. Then adjust the following arm (back angle) no more than two holes at a time. Continue this sequence until you achieve the desired setting, and the colors on the seat tube and following arm match (C).

Tips:

- Remove Shadow Tray and bring seat up to a slight angle.
- Start with the smaller tube to adjust to a shorter setting.
- Start with the bigger tube to adjust to a longer setting.

For easier adjustment, use the seat bracket or the lift assist handle to lift slightly as the seat depth adjustment is made (D).

Step Three - Knee Pads

Position the user's hips as close as possible to stander's hip pivot (E). To determine correct positioning, fit two fingers between the front of the seat and the back of the knee (F). Adjust and secure the knee pads so the knees are centered in the pads.



Tips:

- Position child's hips in seat to match stander's hip pivot.
- You should be able to fit only 1-2 fingers behind the knee.

For more detailed information refer to your owner's manual.

EasyStand[™] Bantam – Supine Option

Activating Supine Positioning

Step 1: Loosen both red supine locking handles located by the hip pivot on both sides of the unit. Flip the supine lever located under the right side of the seat down to the “supine” position. This will release the back, seat and foot plates from the frame.



Step 2: Adjust to the desired supine position by tilting the back and then tighten both red supine locking handles. This can be done with the user in the stander and at any position.



Step 3: Depress the foot pedal (or optional hydraulic actuator) to position the stander at the desired standing angle.



Returning to sit-to-stand position/deactivating the Supine Positioning

Step 1: Flip the supine lever located under the right side of the seat up to the “sit to stand” position.



Step 2: Loosen the red supine locking handles located by the hip pivot on both sides of the unit and push the back forward to connect the back, seat and foot plate to the frame. You should hear the supine lever click into place. This can be done with the user in the stander and at any position.



For more detailed information refer to your owner's manual.