



The average annual per capita paper use in the USA in 2001 was 700 pounds. The average annual per capita paper use in the rest of the world was 110 pounds. This is equal to approximately 28 print outs per day every day. Excessive use of paper wastes landfill space, water, chemicals and the energy resources required to recycle the paper. Join TiLite in its efforts to reduce paper use by filling out this order form online and sending it via email. To learn more [click here](#) or visit: tilite.com/thinkgreen.php.

The TiLite® ZR Series 2 Order Form is a digital order form and may be filled out on your computer using Adobe® Acrobat® or Adobe® Reader®. For your convenience the order form may then be saved and emailed directly to TiLite's Customer Service Team. Adobe® Acrobat® is recommended in order to take full advantage of the functions on this order form.

To save the completed Order Form to your desktop using Adobe® Reader®: (1) Fill out the order form completely (you will not be able to make changes once the order form is saved using this program). (2) Go to File and select Print; (3) Select Adobe PDF from your list of printers; (4) Select Print again; (5) Select the destination where you would like the file saved; and (6) Select Save. The "Quote This Chair" or "Order This Chair" function on page 7 will not work with Adobe® Reader®.

[Click here](#) to download for free Adobe® Reader® or to purchase Adobe® Acrobat®.

TiLite **ZR** Series 2 Order Form

Effective January 1, 2011 (New Items in Red)

TITANIUM RIGID FRAME

Page 1 of 10

DEALER INFORMATION		RTS INFORMATION	
Dealer:		RTS:	Phone:
Account:	PO:	Email:	
Ordered By:		SHIP TO INFORMATION	
Address:		Name:	Ship Via:
City:	State:	Zip:	
Phone:	Fax:	City:	State:
Email:		Phone:	Fax:
		TiLite Information	
Mark For:		Ship Date:	Order #:

Please Fax to the TiLite Customer Service Team at 866.586.2413 or 509.586.2413



FRAME STYLE

Z2FS1 **TiLite ZR** (Minimal Adjustability. 265 Pound Weight Limit. For Rear Seat Width **A** and Seat Depth **B** of 15" or greater, use K0009. For Rear Seat Width **A** and Seat Depth **B** of less than 15", use E1229. Weight Limit is restricted to 150 pounds on chairs with Rear Seat Width **A** and Seat Depth **B** from 10"x10" to 12"x12".).....

\$2,995 **K0009**
E1229

TiLite Special Editions If selecting one of the TiLite Special Editions you must still fill out the entire order form. Edition options will override inconsistent selections. Options cannot be added or deleted.

Z2P1 SuperLite Edition

Z2FTR2 Titanium Open Loop Footrest **\$200**

Seat Back Type

Z2SB2 Folding Titanium Back..... **\$175**

Z2SB5 Carbon Fiber TiShaft™ Back Release Bar (Not available with Non-Folding, Fixed Height Titanium Back.)..... **\$65**

OR

Z2SB15 Non-Folding, Fixed Height Titanium Back..... **\$195**

Z2CBR6 Carbon Fiber Camber Tube (Not available with a Power Adaptable Frame. When a Power Adaptable Frame is selected, a Titanium Camber Tube will be used.)..... **\$175**

Z2FK2 TiLite Slipstream Single-Sided Fork..... **\$150**

Z2TS1 Titanium Fork Stems..... **\$50**

Retail: \$770 - \$815

SuperLite Edition Price: \$690

Z2P2 Active Edition

Z2FTR1 Titanium Footrest w/Flat ABS Cover

Z2CBR3 Titanium Camber Tube..... **\$50**

Carbon Fiber Side Guards

Z2SDG8 Fold Down Rigid..... **\$400**

OR

Z2SDG11 Fendered Removable..... **\$375**

Retail: \$425 - \$450

Active Edition Price: \$360



THE ULTIMATE RIDE.®

tilite.com
2701 West Court Street | Pasco, Washington 99301
509.586.6117 Tel | 800.545.2266 Toll-Free
509.586.2413 Fax | 866.586.2413 Toll-Free Fax

THE TITANIUM EXPERTS.®

TiLite **ZR** Series 2 Order Form

FRAME STYLE

- Z2P3 **Rugged Edition** (Requires 14.5" minimum Rear Seat Height **D**.)
- Z2CBR3 Titanium Camber Tube.....**\$50**
 - Z2RW3 Spinergy SPOX Rear Wheels**\$695**
 - ZRTR5 24", 25" or 26" Kenda® High Pressure (110psi).....**\$85**
- AND**
- Z2RW2 TiLite Rear Wheels w/High Flange Hub**\$225**
 - ZRTR6 24" Grey Knobby **OR** ZRTR7 26" Black Knobby.....**\$95**
 - Z2AXL4 Additional Set of Stainless Quick Release Axles**\$65**
- Retail: \$1,215**
Rugged Edition Price: \$999

- Z2P4 **Armed Forces Edition** (Armed Forces Edition can be ordered in combination with any of the other Frame Styles. Neoprene Impact Guards will match Digital Camo when ordered.).....**\$140**
- Z2AF1 Army (Subdued Green painted frame with ACU digital upholstery.)
 - Z2AF2 Navy (Subdued Dark Blue painted frame with NWU digital upholstery.)
 - Z2AF3 Air Force (Subdued Green painted frame with New ABU digital upholstery.)
 - Z2AF4 Marines (Subdued Tan painted frame with MARPAT - Desert digital upholstery.)
 - Z2AFP1 4" Logo Patch **OR** Z2AFP2 Name Tape Patch
 - Z2AFP3 Combat Wounded Purple Heart Patch

- Z2PWR1 **Power Adaptable Frame** (No charge when 20" Rear Seat Width **A** and 20" Seat Depth **E** are selected. Requires Billet Aluminum Front Wheels and 0° Camber **F**. Not available with Carbon Fiber Camber Tube. Camber tube available in silver anodize only.).....**\$300**
- Z2RRF1 **Reinforced Frame** (No charge when 20" Rear Seat Width **A** and 20" Seat Depth **E** are selected.)**\$300**

WHEELCHAIR TRANSPORT BRACKETS

Z2WTB has NOT been crash tested in accordance with ANSI/RESNA Vol. 1 Section 19 nor in accordance with ISO 7176-19. Use these wheelchair transport brackets ONLY to secure an unoccupied wheelchair during transport. The U.S. Department of Transportation has not approved any tie down system for transportation of a user while in a wheelchair in a moving vehicle of any type. It is TiLite's position that users of wheelchairs should be transferred into appropriate seating in motor vehicles and use the restraints made available by the auto industry. Consult the TiLite Wheelchair Transport Brackets Owner's Manual Supplement for complete details, warnings and instructions.

- Z2WTB **Wheelchair Transport Brackets** (Consists of four factory-installed wheelchair transport brackets).....**\$250**

FRAME FINISHES

Natural Titanium

- Z2FF1 Satin**STD**
- Z2SCBT1 Satin Finish Buffing Pads.....**\$15**
- Z2FF2 Polished**\$650**
- Z2FF3 Tattooed Titanium™ (Tattoos on front frame tubes. Frame finished in Satin. Click on the images below to view the Tattoos online.)**\$250**

Z2FF4 Rock & Roll



Z2FF6 Mother Nature



Z2FF5 Retro



Z2FF7 Henna



High Gloss Paint

- Z2FF8 Super Wet Black
- Z2FF11 Military Green
- Z2FF9 Sunburst Yellow
- Z2FF12 Orange Crush
- Z2FF10 TiLite Red
- Z2FF13 Hot Pink**STD**

Metallic Paint

- Z2FF14 Ocean Blue Metallic
- Z2FF15 Tangerine Metallic
- Z2FF16 Salsa Red Metallic.....**STD**

Pearlescent Paint

- Z2FF17 Midnight Blue Pearl
- Z2FF18 White Pearl**STD**

Matte Paint

- Z2FF19 Black Lava
- Z2FF20 Deep Blue Ice
- Z2FF21 Scarlet Ice.....**STD**

Candy Paint

- Z2FF22 Ruby Red
- Z2FF23 Azure Blue
- Z2FF24 Root Beer Candy
- Z2FF25 Electric Plum
- Z2FF26 Atomic Green**STD**

TiLite **ZR** Series 2 Order Form

Effective January 1, 2011 (New Items in Red)

TITANIUM RIGID FRAME


Page 3 of 10

COLOR ANODIZE PACKAGE

(Color Anodize Package includes: Aluminum Camber Tube, Camber Mount, Footrest Clamp, Caster Mount, Caster Fork, and Caster Cap. If no anodize color is selected, the default will be black.)

Z2ANO1 BlackSTD
 Z2ANO5 Sapphire Z2ANO3 Red Pepper Z2ANO6 Burnt Orange Z2ANO7 Sub-Lime Z2ANO8 Ultraviolet **\$125**

FRAME MEASUREMENTS




REAR SEAT WIDTH (A) Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post.

Z2SW4 10" 11" 12" 13" 14" 15" 16" 17" 18" 19"STD
 Z2SW2 20"**\$300 E2201**

FRONT SEAT WIDTH (SEAT TAPER) (I) Measure from inside of front frame tube to inside of opposite front frame tube.

Z2FSW1 No Taper.....STD
 Z2FSW3 1.5" Taper (4" Narrower than Rear Seat Width. Includes Tension Adjustable by Straps Seat Upholstery. Not available with 10" and 11" Seat Widths (A).).....**\$250**
 Z2FSW5 2.5" Taper (5" Narrower than Rear Seat Width. Includes Tension Adjustable by Straps Seat Upholstery. Not available with 10" to 14" Seat Widths (A).).....**\$250**



SEAT DEPTH (B) Measure from front of back post to the front edge of seat sling. Front edge of seat sling will be at the beginning of the bend at front of chair frame, unless Frog Legs® or 90° Front Angle is ordered, in which case front edge of seat sling begins approximately 1" behind the bend.

Z2SD1 10" 11" 12" 13" 14" 15" 16" 17" 18" 19"STD
 Z2SD2 20"**\$300 E2203**
 Z2SD3 Frame Depth Longer or Shorter Than Seat Depth (A Custom Frame Depth of 20" is \$450 if Seat Depth (B) of 20" is not also selected.).....**\$150**
 Custom Frame Depth: _____"

ERGONOMIC SEAT Measure from front of back post to beginning of upward bend of seat tube. **See Ergonomic Seat diagram above.** (Not available with G10 Solid Seat.)

Z2ERG1 4" 5" 6" 7" 8" 9" 10"**\$300**

FRONT SEAT HEIGHT (C) Measure from floor to top of seat tube at beginning of bend.

Z2FSH1 16" 16.5" 17" 17.5" 18" 18.5" 19" 19.5" 20" 20.5" 21"STD

FRAME MEASUREMENTS

REAR SEAT HEIGHT ① Measure from floor to top of seat tube at back post.

REAR SEAT HEIGHT RANGES

Rear Wheel Size	ZR Rear Seat Heights ①	Z2RSH1	<input type="checkbox"/> 12.5"	<input type="checkbox"/> 13"	<input type="checkbox"/> 13.5"	<input type="checkbox"/> 14"
20"	12.5" - 20"					
22"	14.0" - 20"		<input type="checkbox"/> 14.5"	<input type="checkbox"/> 15"	<input type="checkbox"/> 15.5"	<input type="checkbox"/> 16"
24"	14.5" - 20"		<input type="checkbox"/> 16.5"	<input type="checkbox"/> 17"	<input type="checkbox"/> 17.5"	<input type="checkbox"/> 18"
25"	14.5" - 20"		<input type="checkbox"/> 18.5"	<input type="checkbox"/> 19"	<input type="checkbox"/> 19.5"	<input type="checkbox"/> 20".....STD
26"	15.5" - 20"					

FRONT ANGLE ② Measure from frame front to floor.

Z2FA1 70° 75° 80° 85° (85° Not available with 6" Front Wheels.) 90° (90° Not available with 5" or 6" Front Wheels.)STD

SEAT TO FOOTREST ③/FOOTRESTS Measure from front edge of seat sling to top rear of footrest. **Measurement must be at least 2" shorter than Front Seat Height ④.**

STANDARD FOOTRESTS

- 13.5" 14" 14.5" 15" 15.5" 16" 16.5" 17" 17.5" 18" 18.5" 19"
- Z2FTR3 Angle Adjustable FootrestSTD **K0040**
- Z2FTR1 Titanium Footrest w/Flat ABS Cover.....NCO
- Z2FTR2 Titanium Open Loop Footrest\$200
- Z2FTR12 Titanium Flip-Back Footrest (Not available w/ 10" or 11" Rear Seat Width ④ or ABS Cover w/ 2" Sides.)\$150


HIGH MOUNT FOOTREST

- 7"-9" 9"-11" 11"-13 Set at: _____ (Use 1/2" increments)
- Z2FTR4 Angle Adjustable High Mount Footrest.....\$85 **K0040**
- Z2FTR14 ABS Cover w/2" Sides (Not available with Flip-Back Footrest or chairs with 10" or 11" Rear Seat Width ④).....\$95 **K0041**

FOOTREST WIDTH ⑤ or ⑥ Select either a Standard Front End if no Seat Taper ⑦ is selected on page 3 or a V-Front End if a Seat Taper ⑦ is selected on page 3.STD

STANDARD FRONT END ⑤ Z2FE1 Find your Rear Seat Width ④ in the chart below and select one of the options to the right. Measure from inside of front frame tube to inside of opposite front frame tube.

REAR SEAT WIDTH ④ (Outside Measurement)	FOOTREST WIDTH ⑤		
	No Taper (2.5" Narrower than Rear Seat Width)	1.5" Taper (4" Narrower than Rear Seat Width)	3.5" Taper (6" Narrower than Rear Seat Width)
10"	<input type="checkbox"/> 7.5"		
11"	<input type="checkbox"/> 8.5"		
12"	<input type="checkbox"/> 9.5"	<input type="checkbox"/> 8"	
13"	<input type="checkbox"/> 10.5"	<input type="checkbox"/> 9"	
14"	<input type="checkbox"/> 11.5"	<input type="checkbox"/> 10"	
15"	<input type="checkbox"/> 12.5"	<input type="checkbox"/> 11"	<input type="checkbox"/> 9"
16"	<input type="checkbox"/> 13.5"	<input type="checkbox"/> 12"	<input type="checkbox"/> 10"
17"	<input type="checkbox"/> 14.5"	<input type="checkbox"/> 13"	<input type="checkbox"/> 11"
18"	<input type="checkbox"/> 15.5"	<input type="checkbox"/> 14"	<input type="checkbox"/> 12"
19"	<input type="checkbox"/> 16.5"	<input type="checkbox"/> 15"	<input type="checkbox"/> 13"
20"	<input type="checkbox"/> 17.5"	<input type="checkbox"/> 16"	<input type="checkbox"/> 14"



OR


V-FRONT END ⑥ Measure from inside of front frame tube to inside of opposite front frame tube 2-1/2" above footrest. (Titanium Flip-Back Footrest has 1" of adjustment up and down.)

NO V-Front Taper

OR


FOOTREST WIDTH ⑥

- 7" 7.5" 8" 8.5" 9" 9.5"
- 10" 10.5" 11" 11.5" 12" 12.5"
- 13" 13.5" 14" 14.5" 15" 15.5"
- 16" 16.5" 17" 17.5" 18"



TiLite Series 2 Order Form

FRAME MEASUREMENTS

SEAT BACK TYPE/PUSH HANDLES/SEAT BACK HEIGHT  Measure from top of back post to top of seat tube at rear of frame.

SEAT BACK TYPE

- Z2SB1 Folding Aluminum Adjustable Height.....**NCO**
- Z2SB2 Folding Titanium Adjustable Height (Titanium back will match Frame Finish. Not available with Bolt-On Push Handles.)...**\$175**
- Z2SB11 Seat Back that Locks when Folded.....**NCO**
- Z2SB15 Non-Folding, Fixed Height Titanium (Not available with Transport Brackets. Titanium back will match Frame Finish.).....**\$195**

TISHAFT™ BACK RELEASE BARS (Not available with Non-Folding, Fixed Height Titanium Back.)

- Z2SB3 Aluminum.....**STD**
- Z2SB4 Titanium.....**\$35**
- Z2SB5 Carbon Fiber.....**\$65**

PUSH HANDLES

- Z2SB6 Integrated Push Handles (Not available with Non-Folding, Fixed Height Titanium Back.).....**NCO**
- Z2SB7 Integrated Fold-Down Push Handles (Requires Tension Adjustable by Straps Back Upholstery. Not available with Non-Folding, Fixed Height Titanium Back.).....**\$100**
- Z2SB8 Bolt-On Push Handles (Includes 4" Deep Backrest Rigidizer Bar. Not available with Ti Back.).....**\$175**
- Z2SB9 Bolt-On Height-Adjustable Push Handles (Includes 4" Deep Backrest Rigidizer Bar. Not available with Ti Back.).....**\$295**

SEAT BACK HEIGHT

FOLDING BACKREST



Push Handles	Short	Medium	Tall	Set at: (Use 1/2" increments)
None	<input type="checkbox"/> 8.5" - 11.5"	<input type="checkbox"/> 12" - 16.5"	<input type="checkbox"/> 16.5" - 20.5"	Set at: _____
Integrated	<input type="checkbox"/> 10.5" - 12.5"	<input type="checkbox"/> 13.5" - 16.5"	<input type="checkbox"/> 17.5" - 20.5"	Set at: _____
Integrated Fold-Down	<input type="checkbox"/> 13" - 15.5"	<input type="checkbox"/> 14.5" - 19"	<input type="checkbox"/> 18.5" - 21"	Set at: _____

Z2SB15 NON-FOLDING, FIXED-HEIGHT TITANIUM SEAT BACK (Titanium back will match Frame Finish.)

- 8" 8.5" 9" 9.5" 10" 10.5" 11" 11.5" 12" 12.5"
- 13" 13.5" 14" 14.5" 15" 15.5" 16" 16.5" 17" 17.5"
- 18" 18.5" 19" 19.5" 20"

AVAILABLE ON ALL BACKS

- Z2SB12 4" Deep Backrest Rigidizer Bar.....**NCO**
 - Z2SB13 Custom Height Backrest Rigidizer Bar (The Standard Rigidizer Bar height is 5" above the Seat Sling for a short, 6-1/4" for a medium and 10-1/4" for a tall. Custom Height Rigidizer Bar must be at least 4-1/2" above Seat Sling or 5-3/4" above Seat Sling when used with 11" - 14" Swing Away Tubular Armrests. Maximum Height is 3" less than Lowest Seat Back Height.).....**\$150**
- Set at: _____ (Use 1/4" increments)


SEAT BACK ANGLE  Measure angle from front of back post to floor. 90° will be perpendicular to the floor. To approximate the angle from the back post to the seat, subtract 2 degrees from measurement  for every 1/2" of dump.

Z2BA2 Folding Back



- 80° 83° 86° 89° 92° 95° 98° 101°.....**NCO**

Z2BA3 Non-Folding Back

- 80° 81° 82° 83° 84° 85° 86° 87° 88° 89° 90° 91°
- 92° 93° 94° 95° 96° 97° 98° 99° 100° 101°.....**NCO**

CENTER OF GRAVITY  Measure from front of back post at the seat tube to the center of the rear axle. If no center of gravity is selected, chair will ship with the center of gravity in the rearward-most position.

- Z2COG1 0" .25" .5" .75" 1" 1.25" 1.5" 1.75" 2" 2.25" 2.5" 2.75"
- 3" 3.25" 3.5" 3.75" 4" 4.25" 4.5" 4.75" 5" 5.25" 5.5" 5.75"
- 6".....**STD**

REAR WHEEL SPACING  Measure from outside of seat back post to inside of rear tire. 3/4" Rear Wheel Spacing not available with 0° or 2° Camber .

- Z2RWS1 .75" 1" 1.25" 1.5" 1.75" 2".....**STD**








TiLite Series 2 Order Form

CHAIR OPTIONS

CAMBER /CAMBER TUBES

Z2CBR1	<input type="checkbox"/> 0°	<input type="checkbox"/> 2°	<input type="checkbox"/> 4°	<input type="checkbox"/> 6°	<input type="checkbox"/> 8°	<input type="checkbox"/> 12°	STD			
Z2CBR2	<input type="checkbox"/> 15°	<input type="checkbox"/> 18°						\$75		
Z2CBR3	<input type="checkbox"/> Titanium Camber Tube (Not available with a Power Adaptable Frame.).....							\$50			
Z2CBR6	<input type="checkbox"/> Carbon Fiber Camber Tube (Not available with Power Adaptable Frame.).....							\$175			
Z2CBR5	<input type="checkbox"/> Additional Aluminum Camber Tube	<input type="checkbox"/> 0°	<input type="checkbox"/> 2°	<input type="checkbox"/> 4°	<input type="checkbox"/> 6°	<input type="checkbox"/> 8°	<input type="checkbox"/> 12°	<input type="checkbox"/> 15°	<input type="checkbox"/> 18°	\$100
Z2CBR4	<input type="checkbox"/> Additional Titanium Camber Tube <input type="checkbox"/> 0° <input type="checkbox"/> 2° <input type="checkbox"/> 4° <input type="checkbox"/> 6° <input type="checkbox"/> 8° <input type="checkbox"/> 12° <input type="checkbox"/> 15° <input type="checkbox"/> 18°										\$100
Z2CBR7	<input type="checkbox"/> Additional Carbon Fiber Camber Tube <input type="checkbox"/> 0° <input type="checkbox"/> 2° <input type="checkbox"/> 4° <input type="checkbox"/> 6° <input type="checkbox"/> 8° <input type="checkbox"/> 12° <input type="checkbox"/> 15° <input type="checkbox"/> 18°										\$225
<input type="checkbox"/> Additional Spacers to Increase Rear Wheel Spacing											NCO









FRONT WHEELS

Z2FW1	<input type="checkbox"/> 3"x.75"	Micro-Caster (Not available with Slipstream Fork.).....	STD			
Z2FW2	<input type="checkbox"/> 3"x.75"	Light-Up Micro-Caster (Not available with Slipstream Fork.).....	\$65			
Z2FW14	<input type="checkbox"/> 4"x.75"	Plastic Wheel w/Poly Tire (Not available with Slipstream Fork.).....	NCO			
Z2FW3	<input type="checkbox"/> 4"x.75"	Light-Up Micro-Caster (Not available with Slipstream Fork.).....	\$65			
Z2FW19	<input type="checkbox"/> 4"x.75"	Performance 5 Spoke Billet Aluminum Wheel w/Poly Tire	<input type="checkbox"/> Silver Hub	<input type="checkbox"/> Black Hub	\$125
Z2FW20	<input type="checkbox"/> 4"x1"	Performance 5 Spoke 2-Piece Billet Aluminum Wheel w/Soft Roll Tire	<input type="checkbox"/> Silver Hub	<input type="checkbox"/> Black Hub	\$165
Z2FW15	<input type="checkbox"/> 4"x1.5"	Plastic Wheel w/Poly Tire.....	\$80			
Z2FW6	<input type="checkbox"/> 5"x1"	Plastic Wheel w/Poly Tire (Not available with 90° Front Angle  or with Slipstream Fork.).....	NCO			
Z2FW21	<input type="checkbox"/> 5"x1"	Performance 5 Spoke Billet Aluminum Wheel w/Poly Tire	<input type="checkbox"/> Silver Hub	<input type="checkbox"/> Black Hub	\$145
Z2FW22	<input type="checkbox"/> 5"x1"	Performance 5 Spoke 2-Piece Billet Aluminum Wheel w/Soft Roll Tire	<input type="checkbox"/> Silver Hub	<input type="checkbox"/> Black Hub	\$185
Z2FW18	<input type="checkbox"/> 5"x1.5"	Plastic Wheel w/Poly Tire (Not available with 90° Front Angle  .).....	\$80			
Z2FW9	<input type="checkbox"/> 6"x1"	Plastic Wheel w/Poly Tire (Not available with 85° or 90° Front Angle  or with Slipstream Fork.).....	NCO			
Z2FW11	<input type="checkbox"/> 6"x1"	Billet Aluminum Wheel w/Poly Tire	<input type="checkbox"/> Silver Hub	<input type="checkbox"/> Black Hub	(Not available with 85° or 90° Front Angle  or with Slipstream Fork.).....	\$165
Z2FW10	<input type="checkbox"/> 6"x1.25"	Plastic Wheel w/Pneumatic Tire (Not available with 85° or 90° Front Angle  or with Slipstream Fork.).....	\$65			
Z2FW12	<input type="checkbox"/> 6"x1.25"	Billet Aluminum Wheel w/Pneumatic Tire	<input type="checkbox"/> Silver Hub	<input type="checkbox"/> Black Hub	(Not available with 85° or 90° Front Angle  or with Slipstream Fork.).....	\$165
Z2FW13	<input type="checkbox"/> 6"x1.25"	2-Piece Billet Aluminum Wheel w/Soft Roll Tire (Not available with 85° or 90° Front Angle  or with Slipstream Fork.).....	\$195			
Z2FW0	<input type="checkbox"/>	Omit Front Wheels (Must Choose Wheel Size Above).....	\$20			

FRONT FORKS

Z2FK1	<input type="checkbox"/>	TiLite Standard Fork.....	STD
Z2FK2	<input type="checkbox"/>	TiLite Slipstream Single-Sided Fork.....	\$150
Z2FRG1	<input type="checkbox"/>	Frog Legs® Suspension Forks (Available in Black anodize only.).....	\$395 E1015
Z2TS1	<input type="checkbox"/>	Titanium Fork Stems (Not available with Frog Legs®).....	\$50

REAR WHEELS See Rear Seat Height Ranges chart on Page 3 for Rear Seat Height limitations.

Z2RW3	Spinergy WIRE Wheel w/Low Flange Hub	STD									
	<input type="checkbox"/> 20"(451)											
	<input type="checkbox"/> 22"(501)											
	<input type="checkbox"/> 24"(540)											
	<input type="checkbox"/> 25"(559) (Requires 15" minimum Seat Depth  .)											
	<input type="checkbox"/> 26"(590) (Requires 15" minimum Seat Depth  .)											
Z2RW5	TiLite Wheel w/High Flange Hub	\$250									
	<input type="checkbox"/> 24"(540)											
	<input type="checkbox"/> 25"(559) (Requires 15" minimum Seat Depth  .)											
	<input type="checkbox"/> 26"(590) (Requires 15" minimum Seat Depth  .)											
Z2RW7	Spinergy SPOX	<input type="checkbox"/> Black	<input type="checkbox"/> Red	<input type="checkbox"/> Yellow	<input type="checkbox"/> Blue	<input type="checkbox"/> White	\$695				
	<input type="checkbox"/> 22"(501) - Std. Hub											
	<input type="checkbox"/> 24"(540) - Std. Hub											
	<input type="checkbox"/> 25"(559) - Std. Hub (Requires 15" minimum Seat Depth  .)											
	<input type="checkbox"/> 26"(590) - Sport Hub (Requires 15" minimum Seat Depth  .)											
Z2RW8	Spinergy LX	<input type="checkbox"/> Black	<input type="checkbox"/> Red	<input type="checkbox"/> Yellow	<input type="checkbox"/> Blue	<input type="checkbox"/> White	<input type="checkbox"/> Go Green	<input type="checkbox"/> Bright Orange	<input type="checkbox"/> Flamingo Pink (Please allow an additional 2-3 weeks delivery on Go Green, Bright Orange and Flamingo Pink.)	\$895	
	<input type="checkbox"/> 22"(501) - Std. Hub											
	<input type="checkbox"/> 24"(540) - Std. Hub											
	<input type="checkbox"/> 25"(559) - Std. Hub (Requires 15" minimum Seat Depth  .)											
	<input type="checkbox"/> 26"(590) - Sport Hub (Requires 15" minimum Seat Depth  .)											
Z2RW11	Skyway Mags	<input type="checkbox"/> 22"	<input type="checkbox"/> 24"								\$50
Z2RW0	<input type="checkbox"/> Omit Rear Wheels (Must Choose Wheel Size Above and Tire Type Below).....											\$50

TiLite Series 2 Order Form

CHAIR OPTIONS

AXLES

Z2AXL1 <input type="checkbox"/> Stainless Quick Release.....	STD
Z2AXL2 <input type="checkbox"/> Titanium Quick Release (Not available with TiLite High Flange Hub, Spinergy WIRE, Skyway Mags, 26"(590) Spinergy SPOX or LX Rear Wheels or Power Adaptable Frame.).....	\$195
Z2AXL3 <input type="checkbox"/> Quad Release (Not available with Skyway Mags.).....	\$95

PNEUMATIC REAR TIRES

Z2RTR1 <input type="checkbox"/> Treaded (Not available with 25"(559) Rear Wheels.).....	STD
Z2RTR2 <input type="checkbox"/> Airless Inserts	\$80 E2213
Z2RTR3 <input type="checkbox"/> 25" Primo Treaded (Standard with 25"(559) Rear Wheels.).....	STD
Z2RTR4 <input type="checkbox"/> Primo	NCO
Z2RTR5 <input type="checkbox"/> 24", 25" and 26" Kenda® High Pressure (110psi) <input type="checkbox"/> Grey <input type="checkbox"/> Red <input type="checkbox"/> Blue.....	\$85
Z2RTR6 <input type="checkbox"/> 24" Grey Knobby (Requires TiLite Wheel with High Flange Hub.).....	\$95
Z2RTR7 <input type="checkbox"/> 26" Black Knobby (Requires TiLite Wheel with High Flange Hub or Spinergy SPOX or Spinergy LX Rear Wheels.).....	\$95
Z2RTR8 <input type="checkbox"/> 24", 25" and 26" Schwalbe® Marathon Plus Evolution.....	\$110
Z2RTR9 <input type="checkbox"/> 24" and 25" Schwalbe® SpeedRun.....	\$125

SOLID REAR TIRES

Z2RTR10 <input type="checkbox"/> 20" (451) Street Tread.....	\$65
Z2RTR11 <input type="checkbox"/> 22" (501) Pyramid.....	\$75
Z2RTR13 <input type="checkbox"/> 24"(540) and 25"(559) Herringbone Tread.....	\$90
Z2RTR15 <input type="checkbox"/> 24"(540) and 25"(559) Treaded.....	\$90

HANDRIMS



Handrim Type (If the Rugged Edition is selected on Page 2, please select two sets of handrims and indicate SPOX or HF next to each of your selections to indicate that they should be attached to either the Spinergy SPOX or TiLite High Flange Rear Wheels.)

Z2RIM1 <input type="checkbox"/> Aluminum – Silver Anodized.....	STD
Z2RIM2 <input type="checkbox"/> Titanium (Not available with Skyway Mags, 20" or 22" Rear Wheels, or 24" Knobby tires.)	
<input type="checkbox"/> Satin Finish.....	\$400
<input type="checkbox"/> Polished Finish.....	\$550
Z2RIM3 <input type="checkbox"/> The Natural-Fit® (Original, Larger Profile) (Not available with Skyway Mags.)	
<input type="checkbox"/> Standard Grip (Not available with short tabs.).....	\$295
<input type="checkbox"/> Super Grip (Not available with short tabs.).....	\$340
<input type="checkbox"/> Without Thumb Grip.....	\$270
Z2RIM4 <input type="checkbox"/> The Natural-Fit® LT (Reduced Weight, Smaller Profile) (Not available with Skyway Mags.)	
<input type="checkbox"/> Standard Grip (Not available with short tabs.).....	\$325
<input type="checkbox"/> Super Grip (Not available with short tabs.).....	\$370
<input type="checkbox"/> Without Thumb Grip.....	\$300
Z2RIM9 <input type="checkbox"/> Spinergy FlexRim (Available only on 24" and 25" Spinergy LX Rear Wheels. Please allow an additional 2-3 weeks delivery.)	\$495
Z2RIM5 <input type="checkbox"/> Plastic Coated – Black.....	\$95
Z2RIM6 <input type="checkbox"/> Projections - 8 Vertical Projections (Not available with 20", 22" or 26" Rear Wheels or Skyway Mags.).....	\$240
Z2RIM0 <input type="checkbox"/> Omit Handrims.....	-\$15

Tab Length

Z2RIM7 <input type="checkbox"/> Long Tabs.....	STD
Z2RIM8 <input type="checkbox"/> Short Tabs (Not available with Skyway Mags or The Natural-Fit® Handrims with Thumb Grip.).....	\$15

WHEEL LOCKS

Z2WLK1 <input type="checkbox"/> Standard Push to Lock (Available with .75" to 1.5" Rear Wheel Spacing  only. (Not available with 13" or shorter Seat Depth  or extension handles.).....	NCO
Z2WLK2 <input type="checkbox"/> Composite Scissor Lock.....	\$110
Z2WLK5 <input type="checkbox"/> Black Aluminum Scissor Lock.....	\$135
Z2WLK3 <input type="checkbox"/> Uni-Lock Set At: <input type="checkbox"/> Push <input type="checkbox"/> Pull.....	\$135
Z2WLK4 <input type="checkbox"/> Extension Handles for Uni-Lock.....	\$50 E0961

UPHOLSTERY COLORS

Z2UPC1 <input type="checkbox"/> Black.....	STD
Z2UPC2 Ultrasuede Backrest Stripe <input type="checkbox"/> Black <input type="checkbox"/> Sapphire <input type="checkbox"/> Red Pepper <input type="checkbox"/> Burnt Orange <input type="checkbox"/> Sub-Lime <input type="checkbox"/> Ultraviolet <input type="checkbox"/> Espresso.....	\$70

BACK UPHOLSTERY

Z2BUP2 <input type="checkbox"/> Velcro Adjustable (Not available with Fold-Down Push Handles.).....	STD
Z2BUP3 <input type="checkbox"/> Tension Adjustable by Straps (Required with Fold-Down Push Handles.).....	\$150
Z2BUP0 <input type="checkbox"/> Omit Back Upholstery.....	NCO
Z2BUP4 <input type="checkbox"/> Ride Designs® Corbac™ Adjustable Contour Back Support (Black Only. Not available with Fold-Down Push Handles. See Chart on Page 8.)	\$455 E2611

CHAIR OPTIONS

CORBAC™ SEAT WIDTH/BACK HEIGHT AVAILABILITY CHART

Rear Seat Width	Seat Back Height
14"	13" - 15"
15"	13" - 16"
16"	14" - 16"
17"	14" - 16"
18"	14" - 16"

SEAT UPHOLSTERY

Z2SUP1 <input type="checkbox"/> Tension Adjustable Bolt On (Not available with Tapered Seat . Black upholstery only.).....	STD
Z2SUP2 <input type="checkbox"/> Tension Adjustable by Straps (Standard Front Seat Width (Seat Taper) of 1.5" and 2.5". Black upholstery only.).....	\$150
Z2SUP3 <input type="checkbox"/> G10 Solid Seat (Not available with 10" or 11" Rear Seat Width .).....	\$225 E2618
Z2SUP0 <input type="checkbox"/> Omit Seat Upholstery.....	NCO

SEAT CUSHIONS

Z2CSH1 <input type="checkbox"/> Foam Cushion <input type="checkbox"/> 2" <input type="checkbox"/> 3" <input type="checkbox"/> 4".....	\$95
Z2CSH2 <input type="checkbox"/> StimuLITE® Sport (2" Black 13"x15" to 20"x 20") (Please allow an additional 2-3 weeks delivery. Black upholstery only.).....	\$495 E2603
Z2CSH3 <input type="checkbox"/> Corbee® (2" Black 10"x 10" to 16"x 16") (Please allow an additional 2-3 weeks delivery. Black upholstery only.).....	\$495 E2603
Z2CSH4 <input type="checkbox"/> ROHO® Low Profile® Quadtro Select® (Please allow an additional 2-3 weeks delivery. Black upholstery only.).....	\$525 K0736
Z2CSH5 <input type="checkbox"/> ROHO® Custom (Please allow an additional 2-3 weeks delivery. Black upholstery only.).....	\$625 K0734
Z2CSH6 <input type="checkbox"/> VARILITE® Evolution™ (Black Only, See Chart Below.).....	\$495 K0734
Z2CSH7 <input type="checkbox"/> VARILITE® Zoid™ (Black Only, See Chart Below.).....	\$495 K0734

VARILITE® SEAT CUSHION AVAILABILITY CHART

Seat Width	Seat Depth	
	VARILITE® Evolution™	VARILITE® Zoid™
12"	14"	8", 12", 14"
13"	NONE	NONE
14"	14", 16", 18", 20"	14", 16", 18"
15"	15", 17"	15", 17"
16"	14", 16", 18", 20"	16", 18", 20"
17"	17"	17"
18"	16", 18", 20"	16", 18", 20"
19"	NONE	NONE
20"	16", 18", 20"	16", 18", 20"

SIDE GUARDS

Z2SDG1 <input type="checkbox"/> Cloth (Not available with Ride Designs® Corbac™ back support.).....	\$45
Aluminum	
Z2SDG2 <input type="checkbox"/> Rigid Removable <input type="checkbox"/> Small <input type="checkbox"/> Std.....	\$175
Z2SDG3 <input type="checkbox"/> Quad Removable w/Hole <input type="checkbox"/> Small <input type="checkbox"/> Std.....	\$185
Z2SDG4 <input type="checkbox"/> Fold Down Rigid <input type="checkbox"/> Small <input type="checkbox"/> Std (Not available Ergonomic Seat.).....	\$295
Z2SDG6 <input type="checkbox"/> Fendered Adjustable (Available with 24" and 25" Rear Wheels. Requires Rear Seat Height of 14.5" to 18.5".).....	\$295
Carbon Fiber	
Z2SDG7 <input type="checkbox"/> Rigid Removable <input type="checkbox"/> Small <input type="checkbox"/> Std.....	\$270
Z2SDG8 <input type="checkbox"/> Quad Removable w/Hole <input type="checkbox"/> Small <input type="checkbox"/> Std.....	\$280
Z2SDG9 <input type="checkbox"/> Fold Down Rigid <input type="checkbox"/> Small <input type="checkbox"/> Std (Not available Ergonomic Seat.).....	\$400
Z2SDG10 <input type="checkbox"/> Fixed (Requires Non-Folding, Fixed-Height Titanium Seat Back.).....	\$375
Z2SDG11 <input type="checkbox"/> Fendered Fixed (Requires Non-Folding, Fixed-Height Titanium Seat Back.).....	\$495
Z2SDG12 <input type="checkbox"/> Fendered Removable.....	\$395
Available on Aluminum and Carbon Fiber Non-Fendered Side Guards	
Z2SDG13 <input type="checkbox"/> Side Guards Custom Cut to Profile of Rear Wheels (Not available with Cloth.).....	\$275

ARMRESTS

Z2ARM1 <input type="checkbox"/> Swing Away Tubular <input type="checkbox"/> 9" to 12 <input type="checkbox"/> 11" to 14".....	\$195 E0973
Z2ARM4 <input type="checkbox"/> Swing Away - Flip Back Tubular.....	\$275 E0973
Available on all Armrests	
<input type="checkbox"/> Covered in Black Ultrasuede.....	\$75

SEAT BELTS

Z2BLT1 <input type="checkbox"/> Velcro Adjustable, Black Nylon Webbing.....	\$45 E0978
Z2BLT2 <input type="checkbox"/> Bodypoint® Auto-Style Release Buckle.....	\$85 E0978

TiLite Series 2 Order Form

CHAIR OPTIONS

CALF STRAP

- Z2CLF1 Buckle Adjustable, Black Nylon Webbing.....\$25 K0038
- Z2CLF2 Velcro Adjustable\$35 K0038
 - Xtra Small (Recommended for 10" - 13" Seat Widths)
 - Small (Recommended for 12" - 15" Seat Widths)
 - Medium (Recommended for 14" - 18" Seat Widths)
 - Large (Recommended for 17" - 19" Seat Widths)
 - Xtra Large (Recommended for 18" - 20" Seat Widths)
- Z2CLF3 Bodypoint Padded Velcro Adjustable\$75 K0038
 - Small (Recommended for 10" - 11" Seat Widths)
 - Medium (Recommended for 12" - 15" Seat Widths)
 - Large (Recommended for 16" - 20" Seat Widths)

BACK PACK

- Z2BCK1 Small - Black Nylon\$50
- Z2BCK2 Large - Black Nylon.....\$65

SEAT POUCH

- Z2PCH1 Small - Black Nylon.....\$40
- Z2PCH2 Large - Black Nylon.....\$45

SPOKE GUARDS

- Z2GRD1 Clear with TiMotion Logo (Not available with Skyway Mags or 20" Rear Wheels.)\$110 K0065

ANTI-TIPS

- Z2TIP1 Black Aluminum.....\$135 E0971
- Z2TIP2 User Friendly Flip-up.....\$245 E0971

ACCESSORIES

- Z2LUG1 Luggage Carriers.....\$125
- Z2MPCT1 Black Neoprene Impact Guards.....\$75
- Z2MPCT2 Ultrasuede Stripe on Neoprene Impact Guards Sapphire Red Pepper Burnt Orange
 - Sub-Lime Ultraviolet Espresso.....\$95
- Z2CAT1 Catch-All.....\$45
- Z2CH1 Crutch Holder.....\$65 E2207
- Z2TS1 TiLite T-Shirt Small Medium Large X-Large XX-Large.....\$20
- Z2TIP5 Front Roller (Requires that Seat to Footrest Measurement \ominus be at least 3" shorter than Front Seat Height \ominus)......\$95
- Z2HS1 TiLite 9 Piece SAE Round Handle Folding Hex Key Set.....\$20
- Z2AFP1 4" Logo Patch Army Navy Air Force Marines\$50
- Z2AFP2 Name Tape Patch Army Navy Air Force Marines\$50
- Z2AFP3 Combat Wounded Purple Heart Patch.....\$50

DESIGNS UNLIMITED



TiLite's ZR Series 2 offers more than 15 million different frame combinations! But sometimes even that's not enough. If you would like to customize your TiLite, check out the Designs Unlimited Studio at tilite.com. There you will find drawings and pricing for hundreds of creative solutions to customers' customization requests. We call these "D.U.'s." If you don't find the D.U. you're looking for, contact the TiLite Customer Service Team at 800.545.2266 or customerservice@tilite.com and we'll design a D.U. just for you. Designs Unlimited customization may add an additional 2 to 3 weeks to the ship time of your chair.

TILITE ORDERING PROCESS

Upon submitting this Order Form, you will receive either a TiLite QUOTE or a TiLite ORDER CONFIRMATION. Please CAREFULLY EXAMINE the QUOTE or ORDER CONFIRMATION for NOTES written by TiLite's Customer Service Team. These notes must be addressed by you before TiLite can process your order. The FOOTNOTES contained in this Order Form are CRITICAL. Please REVIEW all FOOTNOTES while completing the Order Form. If you have requested a DRAWING of this chair, a copy of the drawing SIGNED by YOU must be received by TiLite before TiLite can process the order.

GENERAL

TiLite manufactures a wide variety of wheelchairs to meet the varied needs of wheelchair users. The final selection of a particular model, its options and accessories, and its measurements rests solely with the wheelchair user and advising healthcare professional. TiLite wheelchairs must be fitted by a qualified healthcare professional. HCPCS Codes are for reference purposes only. Actual coding and coverage varies by payer. Proper HCPCS coding is not a guarantee of payment. Please verify the appropriate payer's coverage policy.

Get the latest order forms at tilite.com Prices, standard features, options and accessories are subject to change without notice. All rights reserved. Trademarks are identified by symbols™ and ®. TiLite, the TiLite logo, Ti, the Ti logo, The Titanium Experts, TiShaft and The Ultimate Ride are registered trademarks of TiSport, LLC. Adobe®, Acrobat®, Acrobat Professional® and Reader® are registered trademarks of Adobe Systems Inc. Alcantara® is a registered trademark of Alcantara S.p.A. Bodypoint® is a registered trademark of Bodypoint Inc. Frog Legs® is a registered trademark of Frog Legs, Inc. Kenda® is a registered trademark of Kenda Rubber Industrial Co Ltd. Ride Designs® and Corbac® are registered trademarks of Aspen Seating, LLC. ROHO®, Low Profile® and Quadro Select® are registered trademarks of ROHO Inc. Schwalbe® is a registered trademark of Ralf Bohle GmbH. Supracor®, Stimulite® and Corbee® are registered trademarks of Supracor, Inc. The Natural-Fit® is a registered trademark of Three Rivers Holdings, LLC. Ultrasuede® is a registered trademark of Toray Ultrasuede (America), Inc. Varilite® is a registered trademark of Cascade Designs, Inc.

NOTES

If you are using Adobe® Acrobat®, this order form may be converted into a quote request or into an order by clicking one of the buttons below (this feature is available exclusively to TiLite dealers and distributors). A TiLite Quote or a TiLite Order Confirmation will be sent to you within 24 hours.

QUOTE THIS CHAIR

ORDER THIS CHAIR