



QUANTUM®

PROVIDING GREATER INDEPENDENCE

QUANTUM® iLevel® power chairs

iLevel® Power Chairs feature a revolutionary new power chair design for a better experience. iLevel improves daily functionality and quality of life by allowing operation of the power chair with the seat elevated while at walking speed (up to 3.5 mph).

FEATURES

- 12" of power adjustable seat height while at walking speed (10" on Q6 Edge® HD)
- iLevel's patented Extra Stability Technology™ enhances safety for transfers, reach, and numerous other activities of daily living
- 12 exciting color options
- Retrofittable on the Q6 Edge 2.0
- 300 lbs. weight capacity on the Q6 Edge 2.0 and Q6 Edge Z power chairs
- 400 lbs. weight capacity on the Q6 Edge HD Power Chair



Featuring Extra Stability Technology™ for a smooth and stable ride



Featuring LED Fender Lights (front & rear) on Q6 Edge® 2.0 and Q6 Edge® Z

12 INCHES OF LIFT AT 3.5 MPH

* Q6 Edge HD features a maximum lift of 10 inches.

Quantum® provides greater independence.

Learn more at: quantumrehab.com/iLevel

Q6 SERIES power bases

NOW AVAILABLE WITH
Q-LOGIC 3
Advanced Drive Control System




Q6 Edge® 2.0

With features like standard 6 mph motors and advanced responsiveness, the Q6 Edge® 2.0 is engineered to meet the performance needs of the most active user. The Q6 Edge 2.0 accepts a complete range of seating and electronics options to deliver exceptional rehab capability at an excellent value, and is available with our iLevel® technology.



FEATURES

- User weight capacity of 300 lbs.
- Mid-Wheel 6® allows six wheels on the ground for stability
- Standard 6 mph motors offer advanced performance, precise control and responsiveness via innovative single-stage gearbox
- iLevel® option available with up to 12" of power adjustable seat height at walking speed (3.5 mph)
- **NEW:** Now available with Q-Logic 3 Advanced Drive Control System
- 12 exciting color options
- Available with WC-19 crash-test approved occupied transit kit option on tilt & recline and iLevel
- Available with Accu-Trac Advanced Tracking Technology
- **NEW:** Switch-operated front and rear LED fender lights (standard on iLevel)
- Optional 8" casters



LED fender lights

Quantum® 610

The compact Quantum® 610 is the ultimate choice for users who demand the superb stability of patented Mid-Wheel 6® Design and tight-quarter maneuverability. Highly adaptable, the Quantum 610 accepts a wide range of seating and electronics options while its powerful drivetrain delivers high-performance torque.



FEATURES

- User weight capacity of 300 lbs. (250 lbs. with TRU-Balance®)
- Mid-Wheel 6® allows six wheels on the ground for stability
- Patented ATX Suspension (Active-Trac® with extra stability) for enhanced performance over more varied terrain
- Compatible with TRU-Balance® Power Positioning
- Maximum speed of 4 mph
- Standard 5 amp, off-board charger

Q6 Edge® Z

The Q6 Edge® Z utilizes powerful 4-pole motors for maximum torque and Mid-Wheel 6® design for aggressive outdoor performance and precision indoor maneuverability. The Q6 Edge® Z accepts a broad range of exclusive seating and electronics options for unmatched adaptability and rehab capability, and is available with our iLevel® technology.



FEATURES

- User weight capacity of 300 lbs.
- Mid-Wheel 6® allows six wheels on the ground for stability
- 8 mph motor package option available
- iLevel® option available with up to 12" of power adjustable seat height at walking speed (3.5 mph)
- 12 exciting color options
- Switch-operated front and rear LED fender lights (standard)
- Available with Accu-Trac Advanced Tracking Technology

Q6 Edge® and Q6 Edge® X

With features like standard 4-pole motors, patented Mid-Wheel 6® Drive Design and ATX Suspension, the Q6 Edge® and Q6 Edge® X are engineered to meet the performance needs of the most active user. They accept a complete range of seating and electronics options to deliver exceptional rehab capability at an excellent value.



FEATURES

- User weight capacity of 300 lbs.
- Maximum speed of 6 mph with high-speed motor package (standard on Q6 Edge® X; optional on Q6 Edge®)
- Mid-Wheel 6® allows six wheels on the ground for stability
- Patented ATX Suspension (Active-Trac® with extra stability) incorporates front OMNI-Casters for enhanced performance over more varied terrain
- Compatible with TRU-Balance® 3 Power Positioning
- Standard 8 amp, off-board charger
- Available with Accu-Trac Advanced Tracking Technology

BARIATRIC



Q6 Edge[®] HD

With features like standard 4-pole motors, Mid-Wheel 6[®] Drive Design and ATX Suspension, the Q6 Edge[®] HD is engineered to meet the performance needs of the most active user. The Q6 Edge HD accepts a complete range of seating and electronics options to deliver exceptional rehab capability at an excellent value.



FEATURES

- 450 lbs. weight capacity (400 lbs. with iLevel option)
- iLevel[®] option available with up to 10" of power adjustable seat height at walking speed (3.5 mph)
- 12 exciting new color options
- Optional switch-operated front and rear LED fender lights
- Mid-Wheel 6[®] for maximum stability
- Compatible with TRU-Balance[®] 3 HD Power Positioning
- ATX Suspension (Active-Trac[®] with extra stability) incorporates front OMNI-Casters and semi-independent rear caster beam for enhanced performance over more varied terrain

Quantum[®] 1450

The Quantum[®] 1450 front-wheel drive bariatric power base features innovative design that provides exceptional outdoor performance while delivering outstanding tight space maneuverability. The 1450 accepts a complete range of rehab seating and electronics options.



FEATURES

- 600 lbs. weight capacity
- Maximum speed up to 4.5 mph
- High-performance, high-efficiency motor package
- Compatible with TRU-Balance[®] Power Positioning and a wide range of other seating and positioning systems



Lee Walter

REAR-WHEEL DRIVE

Quantum[®] Rival[®]

The Rival[®] rear-wheel drive power chair features innovative design that provides exceptional outdoor performance and handling while delivering outstanding tight space maneuverability. The Rival accepts a complete range of rehab seating and electronics options.



FEATURES

- 12 exciting new color options
- Compact size for outstanding maneuvering in tight spaces
- Maximum speed up to 8 mph with high-speed motor package
- High-performance, high efficiency motor package
- Accepts a wide range of seating and positioning systems
- Sliding battery tray for easy access
- Two suspension packages
- Compatible with TRU-Balance[®] 3 Power Positioning Systems

PEDIATRIC



Q6 Edge[®] 2.0

With features like standard 6 mph motors and advanced responsiveness, the Q6 Edge[®] 2.0 is engineered to meet the needs of the most active child. The Q6 Edge 2.0 is available with our iLevel[®] technology and features bold aesthetics with 12 new color options to fit any child's personality. It accepts a complete range of seating and electronics options to deliver exceptional rehab capability at an excellent value.



FEATURES

- iLevel[®] now available for seat sizes as small as 12" x 12" (SOF only)
- Standard 6 mph motors offer advanced performance, precise control and responsiveness via innovative single-stage gearbox
- Bold aesthetics with 12 color options
- iLevel option available with up to 12" of seat elevation (in 16 seconds) at walking speed (up to 3.5 mph)
- iLevel is retrofittable on the Q6 Edge[®] 2.0
- **NEW:** Now available with Q-Logic 3 Advanced Drive Control System
- Available with WC-19 crash-test approved occupied transit kit option on tilt & recline and iLevel
- **NEW:** Front and rear LED fender lights (standard)
- New optional 8" casters
- Now available with Accu-Trac Advanced Tracking Technology

Quantum[®] 610

The Quantum[®] 610's highly compact size provides easy access to kid-sized spaces, combined with the true all around performance of patented Mid-Wheel 6[®] Design. Glide motors and excellent rehab capability make the Quantum 610 a powerful and complete pediatric power chair option.



FEATURES

- Mid-Wheel 6[®] allows six wheels on the ground for stability
- Patented ATX Suspension (Active-Trac[®] with extra stability) enhanced performance over more varied terrain
- Compatible with TRU-Balance[®] Power Positioning
- Maximum speed of 4 mph
- Standard 5 amp, off-board charger

Q6 Edge[®]

From the classroom to the playground, the Q6 Edge[®] is a superb power chair for even the most active child. With features like standard 4-pole motors, Mid-Wheel 6[®] Drive Design and ATX Suspension, the Q6 Edge has outstanding performance indoors and out. The Q6 Edge accepts a wide range of seating and electronics options making it highly adaptable and rehab capable.



FEATURES

- User weight capacity of 300 lbs.
- Mid-Wheel 6[®] allows six wheels on the ground for stability
- Patented ATX Suspension (Active-Trac[®] with extra stability) incorporates front OMNI-Casters for enhanced performance over more varied terrain
- Compatible with TRU-Balance[®] 3 Power Positioning
- Maximum speed of 6 mph with optional high-speed motor package
- Standard 8 amp, off-board charger
- Available with Accu-Trac Advanced Tracking Technology



Morgan Steward



Power Recline

- 85° - 175° of recline
- 300 lbs. weight capacity
- Does not increase seat-to-floor height
- Standard shear reduction and cantilever armrests
- Available in 12 back shroud colors
- Available with TRU-Balance® 3 Power Tilt and TRU-Balance® 3 Power Adjustable Seat Lift



Power Tilt

- 50° of tilt
- Lower standard seat-to-floor height
- Unmatched adjustment and durability
- Maintains center of gravity shift
- Available in 12 back shroud colors



Power Adjustable Seat Lift with iLevel®

- iLevel® technology enables the unit to drive up to 3.5 mph while fully elevated
- Offers 12" of power adjustable seat lift (10" maximum lift on Q6 Edge® HD)
- Available in 12 back shroud colors
- Available on the Q6 Edge® 2.0, Q6 Edge® Z, and Q6 Edge® HD



TRU-Balance® 3 Power Positioning Systems

- Make fine adjustments while client is in the chair
- Order your seat width independent of your back width at no additional charge
- Internally or externally rotate cantilever armrests for optimal positioning
- Easily retrofit power tilt and power recline
- iLevel is retrofittable on the Q6 Edge® 2.0
- Easy back height and depth adjustment
- Easy center of gravity adjustment
- Complimentary cup holder
- Premium accessories available
- Optional attendant control
- Tool kit included for quick adjustments



Power Articulating Foot Platform

- Broad articulation range for enhanced adjustment
- 450 lbs. weight capacity
- Unmatched adjustment, durability and strength
- Multiple calf pads, calf panel and footplate options



Heavy Duty Power Tilt & Recline

- 450 lbs. weight capacity
- 50° of tilt
- 85° - 175° of recline
- Available in 12 back shroud colors



Complimentary Cup Holder



Madonna Long



Kiel Eigen

Please Note: Some options may not be available on all power bases. Ask Quantum Customer Service for details.



Q6 Edge® shown with Synergy® Seating System

Synergy® Seating System

The Quantum® Synergy® Seating System offers a clean, streamlined appearance and unparalleled ease of adjustment. The seating system's unique design allows for height, width, depth and back angle adjustments to be made quickly and easily in the field. The Synergy Seat interfaces with most types of seat and back cushions, and was designed to be the most user-friendly system available today.

FEATURES

- Easily adjustable and versatile design that can grow with the client
- Easy customization
- Several width/depth adjustment packages ranging from 10" to 24"
- Accepts a wide variety of after-market seats and backs
- Heavy Duty option provides a weight capacity of 600 lbs. and seating up to 32" x 28" (model specific)

ADI Q-Back

The ADI Q-Back from Stealth Products, Inc. is available on TRU-Balance® 3 Seating Systems and is offered in three configurations:

- Active Contour ADI Q-Back
- Deep Contour ADI Q-Back
- Extra Deep Contour ADI Q-Back

Available sizes for tilt and static seating:

Heights: 19"-22"
Widths: 16", 18", 20"


Available sizes for power recline seating:

Heights: 22"-25"
Widths: 16", 18", 20"

Note: Additional back sizes are available with Special Order.

TRU-Comfort 2 Back and Seat Cushion

- Adjustable positioning and pressure management
- Compatible with both TRU-Balance® 3 Power Positioning Systems and the Static Seat Frame System
- Available with four-way stretch, recovery, fluid-resistant, breathable cover
- Additional 1" of viscoelastic foam for maximum comfort and pressure management




Synergy® Simplicity

Tremendous comfort and moderate pressure management

FEATURES

- High-density polyurethane foam construction
- Exclusive wrap-and-lift design for pressure management
- Four-way stretch, fluid resistant upper cover
- Coccyx and sacral relief



Synergy® Solution®

Three-component design for pressure management, positioning and long-lasting comfort

FEATURES

- Exclusive wrap-and-lift design for pressure management
- 2-cover system to prevent shearing with interior liner
- Twin-cell gel insert
- Viscoelastic top layer




Active Contour ADI Q-Back



Deep Contour ADI Q-Back




Extra Deep Contour ADI Q-Back



TRU-Comfort Seat Cushion



TRU-Comfort Back Cushion




Synergy® Spectrum®

Customized comfort and superb positioning and pressure management

FEATURES

- Extra deep well
- Choice of twin-cell lightweight fluid or viscoelastic foam insert
- Viscoelastic top layer
- 2-cover system to prevent shearing with interior liner
- 650 lbs. weight capacity with viscoelastic foam insert



Synergy® Solution® 1

Innovative, two-layered design for exceptional pressure management and positioning

FEATURES

- High-density polyurethane foam construction
- Coccyx and sacral relief
- Soft gel top layer for skin protection
- Four-way stretch, fluid resistant upper cover


Featuring
Bluetooth®
(standard)



Q-Logic 3 EX Joystick Controller

Q-Logic 3 Drive Control System

The Q-Logic 3 Advanced Drive Control System from Quantum Rehab® is like no other power wheelchair electronics system. Designed from clinician and consumer feedback, Q-Logic 3 is user-friendly and highly customizable. This adaptable, expandable control system can increase and maximize independence.



Home Screen

Drive Screen

FEATURES

- Wireless Bluetooth programming through Windows devices
- Bluetooth access to computer, tablet, and phone functions
- iAccess programmable push button and toggle options for customized seating access
- Simple firmware updates
- Capable of utilizing multiple input devices
- Preset drive settings
- Preset color background options
- Clinic Mode:
 - Quick setup of multiple input devices during client evaluations
 - Automatically assigned drive modes to input devices

Q-Logic 3 EX Enhanced Display

The optional Q-Logic 3 EX Enhanced Display serves as a separate screen used with specialty drive controls to display system data. With the Enhanced Display's built-in environmental controls, Q-Logic 3 can operate a wide range of appliances that use infrared (IR) remote controls, such as televisions, and serves as a Bluetooth® computer mouse emulator.



Optional Modules



Q-Logic 3 SAJ

Q-Logic 3 iAccess

Q-Logic 3 Specialty Controls Interface Module



Q-Logic 3 EX Enhanced Display

Non-Expandable



Q-Logic 2 NE and NE+ PG VR2 (4-key) PG VR2 (6-key) PG VR2 (9-key)

Expandable (Q-Logic 3)



Q-Logic 3 EX Joystick Q-Logic 3 EX Enhanced Display Q-Logic 3 EX SAJ Q-Logic 3 Specialty Controls Interface Module

Expandable (Q-Logic 2)



Q-Logic 2 EX Joystick Q-Logic 2 EX Enhanced Display Q-Logic 2 EX Stand Alone Joystick / Attendant Joystick Q-Logic 2 Specialty Controls Interface Module

Multi-Switch Systems



Stealth® i-Drive® Tri-Array Series, 3-Switch Stealth® Ultra 3-Switch Head Array Switch-It 4-Switch Head Array ASL 3-Switch Head Array with Proximity Switch

Proportional Drive Controls



Mo-Vis™ All-Round Joystick Mo-Vis™ All-Round Light Joystick Mo-Vis™ Multi Joystick Mo-Vis™ Micro Joystick Stealth® Precision Mini Proportional Joystick Stealth® Mushroom Joystick ASL Rim Control

Single Switch



Stealth® Egg Switch Mo-Vis™ Twister Basic Button Mo-Vis™ Twister Satellite Button Ablenet Round Switch Ablenet Spec Switch Ablenet Micro Light Switch Ablenet Pillow Switch

Sip-N-Puff Options



Stealth® Sip-N-Puff

Additional Options



ASL Remote Stop Switch Switch-It Remote Stop Switch Joystick Handles

Q6 Edge® 2.0, Quantum® Rival,
Q6 Edge® HD, and Q6 Edge® Z




Q6 Edge®, Q6 Edge® X,
and Quantum® 1450



Quantum® 610




Stephanie Woodward




quantumrehab.com

The ultimate resource for everything you need to know about Quantum® products.



Clinical Resources

A special section of **quantumrehab.com** for clinicians, featuring order forms, clinical references, and reimbursement information.



Follow us...

Stay up to date on the latest Quantum® events and product releases through social media.



stealthproducts.com

Stealth Products launched in 1999, in response to a need for versatile, high-quality head and neck positioning systems, as well as switch site location hardware. Their products include: head and body support/positioning, joystick mounts, trays, seating, and pediatric mobility products.

Quantum Rehab Professional App

The Quantum Rehab Professional App is available for Apple and Android smart phones and tablets. Look for the app in the Apple App Store or Google Play links using your smart device to download the app directly.

Sales Support (866-800-2002)

Assistance with design, ordering, pricing and quality assurance.

Custom Group (877-465-2999)

Providing innovative custom solutions and specialized product modifications – your “off the order form” solution team.

Technical Support (ext. 5200)

Assistance with troubleshooting and parts order placement.

Product Planning and Reimbursement Center

Assistance with understanding Medicare codes and coverage criteria, product planning, provision guidelines, claims coding, pre-screens and assistance in regard to high-end rehab clients.

Set to Spec Service

Set to Spec Service from Quantum Rehab® is designed to assist you in delivering Q6 Power Chairs to your clients. We will pre-set, to your specifications, seat-to-floor heights, seating center of gravity, armrest heights, front riggings, thoracic and/or thigh laterals.



Q6 POWER CHAIR SERIES

	Q6 POWER CHAIR SERIES						REAR-WHEEL DRIVE	MID-WHEEL DRIVE	FRONT-WHEEL DRIVE				
	Q6 EDGE® 2.0 <small>AVAILABLE WITH iLEVEL®</small>	Q6 EDGE®	Q6 EDGE® X	Q6 EDGE® Z <small>AVAILABLE WITH iLEVEL®</small>	QUANTUM® 610	Q6 EDGE® HD <small>AVAILABLE WITH iLEVEL® (400 LBS. WEIGHT CAPACITY)</small>	QUANTUM® RIVAL®	J6	QUANTUM® 1450				
DRIVE WHEELS	14" Solid Optional: 14" Pneumatic	14" Solid Optional: 14" Pneumatic	14" Solid Optional: 14" Pneumatic	14" solid	10" Solid Optional: 10" Pneumatic	14" Solid Optional: 14" Pneumatic	14" Solid Optional: 14" Pneumatic	10" Solid Optional: 10" Pneumatic	14" Solid				
CASTER WHEELS	Front: 6" Solid (Optional: 8" Solid) Rear: 6" Solid (Optional: 8" Solid)	Front: 6" Solid Rear: 6" Solid	Front: 6" Solid Rear: 6" Solid	Front: 6" Solid Rear: 6" Solid	Front: 5" Solid Rear: 6" Solid	Front: 6" Solid Rear: 6" Solid	Front: 9" Pneumatic	Front: 5" Solid Rear: 6" Solid	9" Solid				
ANTI-TIP WHEELS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4" Solid				
MAXIMUM SPEED ⁴	Up to 6 mph	Up to 5 mph (Optional: 6 mph)	Up to 6 mph	Up to 6 mph (Optional: 8 mph) ¹³	Up to 4 mph	Up to 4.7 mph	Up to 6 mph (Optional: 8 mph)	Up to 4 mph	Up to 4.5 mph				
GROUND CLEARANCE	2.7" (battery tray)	3" (frame center)	3" (frame center)	3" (frame base)	2.5" (frame)	3" (frame center)	3.25" (frame base)	2.5" (frame)	1.5" (anti-tip wheels)				
TURNING RADIUS ⁵	6" casters: 20.5" 8" casters: 23.25"	20"	20"	19.75"	22"	19.75"	35.75"	22"	26.5"				
OVERALL LENGTH ¹¹	6" casters: 35.5" 8" casters: 40.48"	35.5"	35.5"	35.6"	34.74"	35.6"	36"	34.74"	38.25"				
BASE WIDTH	24.4"	24"	24"	26.25"	23.19"	26.25"	25"	23.19"	29.25"				
Seating Sizes:	TRU-Balance® 3	TRU-Balance® 2	TRU-Balance® 3	TRU-Balance® 2	TRU-Balance® 3	TRU-Balance® 3	TRU-Balance® 2	TRU-Balance® 2 HD	TRU-Balance® 3 HD	TRU-Balance® 2	TRU-Balance® 3	TRU-Balance® 2	TRU-Balance® 2 HD Tilt
SYNERGY®	W: 10-22" D: 10-22"	W: 10-22" D: 10-22"	W: 10-22" D: 10-22"	W: 10-22" D: 10-22"	W: 12-22" D: 12-22"	W: 10-24" D: 10-24"	W: 10-20" D: 10-20"	W: 20-28" D: 20-28"	W: 20-32" D: 20-28"	W: 10-22" D: 10-20"	W: 12-22" D: 12-22"	W: 10-20" D: 10-20"	W: 20-32" D: 20-28"
STATIC	W: 10-22" D: 10-22"	W: 10-22" D: 10-22"	W: 10-22" D: 10-22"	W: 10-22" D: 10-22"	W: 12-22" D: 12-22"	W: 12-24" D: 12-24"	W: 10-20" D: 10-20"	W: 20-28" D: 20-28"	W: 20-32" D: 20-28"	W: 10-22" D: 10-20"	W: 12-22" D: 12-22"	W: 10-20" D: 10-20"	W: 20-32" D: 20-28"
POWER TILT	W: 12-22" D: 12-22"	W: 14-22" D: 14-22"	W: 12-22" D: 12-22"	W: 14-22" D: 14-22"	W: 12-22" D: 12-22"	W: 12-24" D: 14-24"	W: 14-20" D: 14-20"	W: 20-28" D: 20-28"	W: 20-32" D: 20-25"	W: 14-22" D: 14-20"	W: 12-22" ³ D: 12-22" ³	W: 14-20" D: 14-20"	W: 20-32" D: 20-28"
LIFT & TILT	W: 16-22" D: 14-22"	N/A	W: 12-22" D: 12-22"	N/A	W: 12-22" D: 12-22"	W: 12-24" D: 12-24"	W: 16-20" D: 16-20"	N/A	W: 20-24" D: 20-25" ¹⁰	N/A	W: 12-22" ³ D: 12-22" ³	N/A	N/A
Seat-to-Floor Heights:	TRU-Balance® 3	TRU-Balance® 2	TRU-Balance® 3	TRU-Balance® 2	TRU-Balance® 3	TRU-Balance® 3	TRU-Balance® 2	TRU-Balance® 2 HD	TRU-Balance® 3 HD	TRU-Balance® 2	TRU-Balance® 3	TRU-Balance® 2	TRU-Balance® 2 HD Tilt
SYNERGY® / STATIC ⁸	16.5-18.5"	15.9-17.9"	16.5-18.5"	15.9-17.9"	16.5-18.5"	17.5"-19.5"	16.5-17.5"	16.5-18.5"	17.5-19.5"	16.5-18"	16.5-18.1"	16.5-17.5"	16.5-18.5"
POWER TILT ⁸	17.5-19.5"	17.3-19.3"	17.5-19.5"	17.3-19.3"	17.5-19.5"	18.125"-20.125"	16.875"	18.2-20.9"	18.5-20.5"	16.5-18"	18-19.6"	16.875"	18.125-20.125"
LIFT & TILT ⁸	17.5-19.5"	N/A	18-20"	N/A	18-20"	19.375"-21.375"	17.75"	N/A	17.75-19.75"	N/A	18.5-20.1"	N/A	N/A
MANUAL RECLINE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	No
BATTERY SIZE ⁶	NF-22	NF-22	NF-22	NF-22	Group 24	U-1	Group 24	Group 24	Group 24	Group 24	Group 24	U-1	Group 24
BATTERY WEIGHT ¹⁴	38 lbs.	38 lbs.	38 lbs.	38 lbs.	52 lbs. each	23.4 lbs.	52 lbs.	52 lbs.	52 lbs.	52 lbs.	52 lbs.	23.4 lbs.	52 lbs.
AVAILABLE ELECTRONICS ¹²	120A Q-Logic 3 EX 75A Q-Logic 2 NE 75A Q-Logic 2 NE+	75A Q-Logic 2 NE 75A Q-Logic 2 NE+ 100A Q-Logic 2 EX	75A Q-Logic 2 NE 75A Q-Logic 2 NE+ 100A Q-Logic 2 EX	75A Q-Logic 2 NE 75A Q-Logic 2 NE+ 100A Q-Logic 2 EX	75A Q-Logic 2 NE+ 100A Q-Logic 2 EX	70A PG VR2 70A Q-Logic 2 EX	75A Q-Logic 2 NE 75A Q-Logic 2 NE+ 100A Q-Logic 2 EX	75A Q-Logic 2 NE 75A Q-Logic 2 NE+ 100A Q-Logic 2 EX	75A Q-Logic 2 NE 75A Q-Logic 2 NE+ 100A Q-Logic 2 EX	75A Q-Logic 2 NE 75A Q-Logic 2 NE+ 100A Q-Logic 2 EX	75A Q-Logic 2 NE 75A Q-Logic 2 NE+ 100A Q-Logic 2 EX	70A Q-Logic 2 NE 70A Q-Logic 2 NE+ 70A Q-Logic 2 EX	90A VR2 6-key 100A Q-Logic 2 EX
BATTERY CHARGER	8A Off-board	8A Off-board	8A Off-board	8A Off-board	8A Off-board	5A Off-board	8A Off-board	8A Off-board	8A Off-board	8A Off-board	8A Off-board	5A Off-board	8A Off-board
MOTOR PACKAGES	2-Pole Mid-Wheel 6®	4-Pole 5 mph ¹ or 4-Pole 6 mph ²	4-Pole 6 mph	4-Pole Mid-Wheel 6®	4-Pole Mid-Wheel 6®	2-Pole Glide 4 mph ¹	4-Pole 4.7 mph ¹	4-Pole 6 mph ¹ or 4-Pole 8 mph ²	4-Pole 6 mph ¹ or 4-Pole 8 mph ²	2-Pole 4 mph	4-Pole 4.5 mph	4-Pole 4.5 mph	4-Pole 4.5 mph
WEIGHT CAPACITY ⁷	300 lbs.	300 lbs.	300 lbs.	300 lbs.	300 lbs.	300 lbs. ⁹	450 lbs. ¹⁵	300 lbs.	300 lbs.	300 lbs. ⁹	600 lbs.	300 lbs.	600 lbs.
BASE WEIGHT	138.6 lbs. (6" casters) 148 lbs. (8" casters)	138 lbs.	138 lbs.	143.5 lbs.	100.2 lbs.	143.5 lbs.	129 lbs.	100.2 lbs.	195 lbs.				
MEDICARE CODE COVERAGE - For more information on Medicare code coverage, please consult our Product Planning and Reimbursement Center.													
	Group 3: Standard (K0848/K0849), Single Power (K0856), Multiple Power (K0861)	Group 3: Standard (K0848/K0849), Single Power (K0856/K0857), Multiple Power (K0861)	Group 3: Standard (K0848/K0849), Single Power (K0856), Multiple Power (K0861)	Group 3: Standard (K0848/K0849), Single Power (K0856), Multiple Power (K0861)	Group 2: Standard (K0822/K0823), Single Power (K0835/K0836)	Group 3: Heavy Duty (K0850/K0851), Single Power HD (K0858), Multiple Power HD (K0862)	Group 3: Standard (K0848/K0849), Single Power (K0856), Multiple Power (K0861)	Group 2: Standard (K0822/K0823), Single Power (K0835)	Group 3: Very Heavy Duty (K0852/K0853), Single Power Very HD (K0860), Multiple Power Very HD (K0863)				

1) Standard
2) Optional
3) Requires HD Suspension
4) Speed varies with user weight, terrain type, battery charge, battery condition and tire pressure.
5) Without front riggings
6) Battery capacity may change when adding power positioning systems.

7) Weight capacity is dictated by the selection of seating.
8) All measurements +/- 1/8" with 18" x 18" seat, fixed towers, 300 lbs. weight capacity and solid tires (add 3/8" with pneumatic tires). Depths may increase seat-to-floor height. Contact Customer Service for details. Listed measurements are in the lowest position; does not include elevating system unless specified.
9) 250 lbs. weight capacity with TRU-Balance® Systems

10) A minimum seating size of 20" x 20" is required with iLevel® on the Q6 Edge® HD; maximum seating size is 24" x 25"
11) Without foot riggings
12) All Quantum units can be ordered with specialty controls
13) iLevel® not available with 8 mph motor package
14) Battery weight may vary +/- 3 lbs. based on manufacturer.
15) Weight capacity is reduced to 400 lbs. with iLevel® power adjustable seat height

DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement. HCPCS codes should not be considered legal advice.
The information contained herein is correct at the time of publication.



(US) 866-800-2002 • (CAN) 888-570-1113
Learn more online at: quantumrehab.com



Quantum Rehab® is a proud sponsor of ALSA and MDA.

The information contained herein is correct at the time of publication.
We reserve the right to alter specifications without prior notice.